ility/Permit Number:

36-AA-0049

2.	Name and Street Address of Facility:
BA	KER SOLID WASTE DISPOSAL FACILITY
CO	UNTY OF SAN BERNARDINO
SO	LID WASTE MANAGEMENT DEPT.
(LC	CATED APPROX. 3 MILES SW OF BAKER OF
KE	BAKED BOADI

3. Name and Mailing Address of Operator:

COUNTY OF SAN BERNARDINO

4. Name and Mailing Address of Owner:

COUNTY OF SAN BERNARDINO

SOLID WASTE MANAGEMENT D (LOCATED APPROX. 3 MILES SV KELBAKER ROAD)		SOLID WASTE MANAGEMENT DEP 222 E. HOSPITALITY LN, 2ND FLOC SAN BERNARDINO, CA 92415-001	OR	SOLID WASTE MANAG 222 E. HOSPITALITY LI SAN BERNARDINO, CA	N, 2ND FLOOR	
5. Specifications:						
a. Permitted Operations:	[] 0	omposting Facility (mixed wastes)	[] Proces	sing Facility	•	
	[] 0	omposting Facility (yard waste)	[] Transf	er Station		
	[X] L	indfill Disposal Site	[] Transf	ormation Facility	· · · · · · · · · · · · · · · · · · ·	
	[] M	aterial Recovery Facility	[] Other:	·		**************************************
b. Permitted Hours/Days of Opera		M TO 2:00 PM - Monday, Tuesday, Frid Day, Fourth of July, Thanksgiving Day		8 days/year- Site closed \	Wednesday, Thurs	day, Sunday, New
c. Permitted Tons per Operating D	Day:			<u>MA</u>	XIMUM DAILY LOA	ADING 10 Tons/Day
Non-Hazardous - General Non-Hazardous - Liquid Septic Non-Hazardous - Other Designated Hazardous				<u>an within maximum</u>	DAILY LOADING T (NONE) (NONE) (NONE) (NONE)	TOTAL 10 Tons/Day Tons/Day Tons/Day Tons/Day Tons/Day
d. Permitted Traffic Volume:				UP TO	MAXIMUM TOTAL	_66Vehicles/Day
Incoming vehicles with waste m Outgoing vehicles with salvaged						AL 66 Vehicles/Day FAL 66 Vehicles/Day
e. Key Design Parameters						
	Total	Disposal Footprint	Transfer	MRF	Composting	Transformation
Permitted Area (in acres)	40	12	NONE	NONE	NONE	NONE
Design Capacity		486.835 CUBIC YARDS	NONE	NONE	NONE	NONE
Max. Elevation (Ft. MSL)		1020°				
Max. Depth (Ft. BGS)		955				
Estimated Closure Date		2043	1400 5			
The permit is granted solely to the	operator named above,	current fill area will result in a maximum and is not transferable. Upon a change supersede the conditions of any previous	of operator, the permi	is subject to revocation or	suspension. The a	attached permit
6. Approval: Approving Officer Signature PAMELLA BENNETT	Bennillo DIRECTOR			SERVICES COUNTY O 385 NORTH	ENT OF ENVIRONM	MENTAL HEALTH NO /E.
8. Received by CIWMB:	,			9. CIWMB Concurrence		
November	r 9 1994			Novem		1994
10. Permit Review Due Date:				11. Permit Issued Date	:	
	, 1999	• • • • • • • • • • • • • • • • • • •		Dec <u>ember</u>	8	1994
						C/WPDOCS/SWFP/BAKER P

Facility/Permit Number:

36-AA-0049

12. Legal Description of Facility:

NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 5 NORTH, RANGE 2W, SAN BERNARDING BASELINE & MERIDIAN

13. Findings:

- a. Proposed changes in Site Identification & Description in (SI&D) were not identified in the 1986 (latest) San Bernardino County (SBCo) Solid Waste Management Plan. A SBCo Countywide Integrated Waste Management Plan has not been approved. The LEA certifies (pursuant to Public Resources Code (PRC) §50000] that the SBCo Board of supervisors, and a majority of the Councils of Cities/ Towns with a majority of the population of incorporated areas with SBCo, approved the SI&D.
- b. This permit (with proposed changes) is consistent with standards adopted by the CIWMB (pursuant to PRC §44010), including all applicable RCRA Subtitle D requirements incorporated into Title 14 CCR.
- c. The design and operation of the facility (with proposed changes) is in compliance with State Minimum Standards for Solid Waste Handling and Disposal as determined by the LEA.
- d. The local fire protection district, the SBCo Forestry and Fire Warden Department, has (pursuant to PRC § 44151 re: PRC § 4371 et seq.), determined that the facility (with proposed changes) is in conformance with applicable fire standards.
- e. A Notice of Determination on proposed changes at the facility was filed with the State Office of Planning and Research (pursuant to PRC § 21081.6), on March 23, 1993.
- f. The authorized agent of the local governing body, the San Bernardino County Planning Department, has [pursuant to PRC § 50000.5(a)], determined that proposed changes are consistent with the designated in the applicable general plan.
- g. The authorized agent of the local governing body, the San Bernardino County Planning Department, has [pursuant to PRC § 50000.5(b)], found surrounding land sue compatible with proposed changes at the facility.

14. Prohibitions:

The permittee is prohibited from accepting any non-hazard waste requiring special handling, designed waste, hazardous waste, or polychlorinated biphenyl (PCB) waste screening/ exclusion program, in accordance with all applicable permits, regulations, ad statues for such temporary storage. The permittee is additionally prohibited from accepting for disposal: asbestos (whether friable or nonfriable), whole tires (except accordance with 14 CCR \$17355), metallic discards (except in accordance with PRC \$42160 et seq.); and from allowing any open burning or scavenging.

15.	The	following	i documents	also d	escribe	and/or n	estrict th	ne open	ation of	this facility:

ı					•	. 1
	[X]	Periodic Site Review (revised)	06/10/91	[X]	Amendments to 12/93 RFI	10/03/93
	[X]	Report of Facility Information Amendments	09/92	[X]	Water SWAT Report	03/94
	[X]	Waste Discharge Requirements #6-84-55 Sub Title D Blanket Amendment #6-93-100 Contract Agreements for operations	05/11/84 09/09/93 05/92	[X]	NPDES (Stormwater) Permit #91-13-DWQ Notice of Intent #6B36SOD5256	05/02/94
-	[X]	SBCAPCD Clearance Letter	10/92	[X]	Fire Projection District Findings	12/01/93
	[X]	Notice of Determination - OPR Filing	03/93	[X]	Certificate of Self-Insurance for Operating Liability Claims	12/17/92
	[X]	Mitigation Monitoring/Reporting (Compliance) Program	06/92	[X]	Enterprise Fund Letter Financial Assurance - Closure/Postclosure Maintenance Costs	09/28/94
	[X]	Preliminary Closure Postclosure Maintenance Plans	05/09/94	[X]	Financial Assurance Mechanism for Corrective Action	07/07/93
	[X]	Subtitle D "Footprint" Documentation	10/07/94	[X]	County (DEHS/SWMD) Indemnification Contract	08/15/94
	[X]	DEHS Hazardous Waste Permits	08/16/94	[X]	PRC §50000 Certification by LEA	11/15/93
1						

Facility/Permit Number:

36-AA-0049

16. Self Monitoring: In addition to self-monitoring programs and the California Environmental Quality Act (CEQA) mitigation monitoring and reporting program described in other documents controlling this facility, the following programs shall be reported to the LEA and others as follows:

Program	Reporting Frequency	Agency Reported To
Summary of daily records (in tons/ day) per: solid waste received, liquid septic waste received, salvaged/ recovered materials leaving	Quarterly *	LEA *
site (per type); daily visual estimate of recovered materials stored on-site (in weight, volume or count per type).		
Summary of daily motor vehicle counts (in vehicles/day) per vehicles: entering with solid waste, entering with liquid septic waste, leaving with recovered materials.	Quarterly *	LEA*
Summary of public complaints received, regulatory notices received, and the operator's responses/ corrective actions taken.	Quarterly *	LEA*
Summary of entries in Log of Special/ Unusual Occurrences and operator's responses/ corrective actions taken.	Quarterly *	LEA*
Summary of record-keeping specified in the Hazardous/ PCB/ Prohibited Waste Screening/ Exclusion Program including: quantities/ types of materials discovered, responses/ corrective	(per DEHS-Haz-Mat *)	LEA, DEHS-HAZ-MAT *
actions taken, interim/ final disposition of materials and public education activities.		
Vector inspection/ control program (as may be specified in the RDSI).	(per SBCVCD *)	LEA, San Bernardino County Vector Control District (SBCVCD) *
Water quality control of contaminants - monitoring, reporting, remediation and related		
programs including: Waste Discharge Requirements, water SWATs, Clean-up & Abatement Orders/ Workplans/ Remediation Schedules, NPDES Permits.	(per local CRWQCB *)	LEA, local California Regional Water Quality Control Board (CRWQCB) *
Air quality management of emissions - monitoring, reporting, remediation and related programs including: fugitive dust (PM ₁₀) control, LFG monitoring/ control, air SWATs, AQMD	(per local AQMD *)	LEA, local Air Quality Management District (AQMD) *
equipment permits.		
	(* = Reporting due by the 15th of the month following the end of the reporting period, OR else when due as specified by the controlling regulatory authority.)	(* = Plus reporting to all other local, state and federal regulatory authority with jurisdiction at the facility.)

Facility/Permit Number:

36-AA-0049

17. LEA Conditions:

[NOTE: LEA conditions listed here shall be in addition to conditions of other documents controlling operation of this facility.]

- The operator shall comply with all State Minimum Standards for Solid Waste Handling and Disposal as specified in Title 14 California Code of Regulations
 (CCR). The operator shall not operate this facility without possession of all required permits/ regulatory approvals. The operator shall inspect the site at least
 once each day of operation to ensure compliance with all applicable standards/ conditions/ mitigations/ permits/ regulations.
- 2. The operator shall comply with all federal, state, and local requirements and enactments including all mitigation and monitoring measures developed in accordance with any certified environmental document filed pursuant to Public Resources Code Section (PRC) §21081.6, and all administrative/ enforcement orders of all regulatory agencies with jurisdiction at this facility.
- 3. The operator shall maintain a complete copy of this Solid Waste Facilities Permit (SWFP), of all other required regulatory permits and of all regulatory inspection reports, at the facility at a location readily accessible to facility personnel, LEA staff and other regulatory personnel.
- 4. Additional information concerning the design/ operation of this facility shall be furnished upon request to the LEA and other regulatory personnel.
- 5. The operator shall notify the LEA in writing [with proposed amendments to the Report of Facility Information (RFI)], at least one hundred fifty (150) days in advance of proposed significant changes (as determined by the LEA), in the design/ operation of the facility to allow for early consultation, completion of all required documents/ due process review/ filing and the completion of all related permitting processes. Such notification shall include changes (including new additions) of: processing/ composting/ baling/ materials recovery facility (MRF)/ transfer station and/or transformation facility, changes in permitted hours/ days of operation, permitted tons/day per category, permitted traffic volumes/day per category, permitted total area, disposal footprint, maximum elevation, maximum depth of waste, and/or estimated closure year, which may be later proposed for this facility.
- 6. This facility is authorized to conduct limited salvaging and to store recovered materials (if such salvaging/ storage is properly described in the RDSI or amendments thereto) for brief periods of time [not to exceed thirty (30) days for any category of material] and only in closable durable containers as specified by the LEA. Such limited salvaging/ storage shall only be conducted as pre-approved by the LEA to preclude the creation of health hazards or public nuisances. The facility shall not to be used as a composting facility, materials recovery facility (MRF), processing facility, transfer station and/or transformation facility. No crushing, grinding, mechanical sorting, composting, or other processing shall occur at the facility location except as the LEA may give prior written approval for brief [less than thirty (30) day] experimental/ pilot project type programs.
- The LEA reserves the right to suspend and/or modify operations at this facility when deemed necessary due to any emergency, potential health hazard, and/or public nuisance.
- 8. This SWFP is subject to review by the LEA and may be suspended, revoked or modified at any time for sufficient cause.
- 9. As outlined in Section 16, the operator shall maintain at the facility, accurate daily records of the tonnage/day and number of vehicles/day per: incoming solid waste, incoming liquid septic waste, outgoing recovered material (per category); and an estimate (by weight, volume or count) of the total amount of recovered material (per category) stored on-site for brief periods of time. Such records shall be readily accessible at the facility to the LEA/ other regulatory personnel. A written summary of such tons/day per category, vehicles/day per category, and estimates/day per category, shall be furnished quarterly to the LEA within fifteen (15) days of the end of each quarter.
- 10. As outlined in Section 16, the operator shall furnish a written summary of all written complaints (including all regulatory notices such as: Notices of Violation, Notice and Orders, Clean-up & Abatement Orders) concerning the facility received by the operator during a quarter, and the operator's responses/ corrective actions taken, to the LEA within fifteen (15) days of the end of each quarter.
- As outlined in Section 16, the operator shall maintain at the facility, a log of special/unusual occurrences (S/U O). The log shall include, but not be limited to: fires, explosions, discharges of unusual waste, significant incidents of personal injury, accidents and/or property damage. Each log entry shall be accompanied by a summary of the responses/ corrective actions taken by the operator to mitigate any negative impacts of each occurrence. Days without incidents of S/U O shall be noted with an appropriate negative entry for such days such as: "No S/U O today". The operator shall maintain this log at the facility in a manner readily accessible to facility personnel and to the LEA/ other regulatory personnel. A written summary of the log entries during a quarter shall be furnished to the LEA within lifteen (15) days of the end of each quarter.

Facility/Permit Number:

36-AA-0049

17. LEA Conditions (continued):

- 12. The operator shall maintain an LEA approved hazardous/ PCB/ prohibited waste screening/ exclusion (loadchecking) program at the facility which will adequately protect public health and the environment from illegal on-site disposal of hazardous/ PCB/ prohibited wastes. It shall include not less than four (4) hours per week of on-site loadchecking by personnel trained in such activities. Signs, brochures, and/or other appropriate communication measures shall be utilized by the operator to direct site users to the nearest Household Hazardous Waste (HHW) collection facility, and inform site users of pending HHW Round-up activities scheduled for communities within the site's waste-shed. A written summary of all program activities/ results during a quarter, shall be furnished to the LEA within fifteen (15) days of the end of each quarter.
- 13. The operator shall comply with the requirements of all applicable laws pertaining to employee health and safety including maintaining an up-to-date written CAL-OSHA injury Illness Prevention Program (IIPP) (pursuant to Title 8 CCR), on-site and readily available for review by all facility personnel and by the LEA staff and other regulatory personnel. The IIPP shall include a comprehensive training plan, availability of all necessary on-site work/ protection/ safety equipment, and adequate on-site first ald supplies. Whenever personnel are at the facility they shall have immediate radio and/or telephone access to a 911 emergency dispatcher.
- 14. The operator shall maintain an adequate vector monitoring/ control program with updates as directed by the San Bernardino County Vector Control District (SBCVCD).
- 15. The operator shall comply with all Waste Discharge Requirements, Clean-Up & Abatement Orders, monitoring, remediation schedules and related requirements of the local California Regional Water Quality Control Board (CRWQCB). The operator shall provide in the operating record and to the LEA, a CRWQCB approved unsaturated zone monitoring program and approved statistical analysis of SWAT groundwater samples. Degradation of waters connected to this site shall be promptly remediated in the manner specified the CRWQCB.
- The operator shall submit information to the LEA indicating compliance with all rules of the local Air Quality Management District (AQMD) including: fugitive dust (PM₁₀ control, landfill gas (LFG) monitoring/ control, air SWAT compliance and AQMD equipment permits. The operator shall take every reasonable precaution to control fugitive dust emissions including the use of water and dust palliatives. The operator shall annually assess the need for and implement adequate LFG monitoring/ collection programs, as may be required by federal, state, (14 CCR Sec. 17258.23 (a)(b)) regional, and/or local air quality management standards/ rules. All required AQMD permits shall be obtained/ retained. The operator shall properly maintain all facility equipment and structures according to the manufacturer's specifications and good engineering/ maintenance practices.
- 17. The operator shall use all reasonable measures to avoid "takings" of threatened, endangered, rare, and/or sensitive species, including use of tortoise-proof fencing and authorized raven monitoring/ control measures in accordance with all measures, remediation, and compensations may be incorporated into any Cooperative Agreement (CA) with the U. S. Department of Interior Bureau of Land Management (BLM), U. S. Fish and Wildlife Service (USF&WS), and the California Department of Fish & Game (CDF&G).
- 18. The active disposal cell and tipping table shall be at all times sufficiently surrounded by portable litter-control fencing and supported with sufficient litter picking personnel, to preclude significant amounts of litter [greater than one (1) cubic yard uncompacted density] from accumulating off-site. The facility shall have a high winds closure/reduced operations policy and be operated in accordance with such policy.
- 19. At all times the site perimeter shall be provided with adequate security gates and fencing in good repair (or equivalent effective barriers). Adequate security gates and fencing shall be in good repair. Any raven control/ exclusion devices, as may be prescribed by BLM, USF&WS and/or CDF&G shall be provided.
- 20. A qualified geotechnical consultant shall prepare a stability analysis of the site, if a slope ratio steeper than three-to-one (3:1) will be utilized at any portion of the site. Any measures required in the geotechnical study to ensure that the landfill does not cause a threat to life or property, shall be implemented. The study shall include an engineering analysis that identifies construction requirements designed to withstand the maximum probable earthquake or maximum credible earthquake (pursuant to Title 23 CCR Chapter 15). The study shall be reviewed and approved by the LEA and the CIWMB prior to its implementation.
- 21. Waste and cover material shall be spread and compacted utilizing methods to maximize compaction and to decrease the attraction of animals, birds and vectors to the site. Personnel shall not secure the site each day until the operator's inspection confirms that at least six (6) inches of compacted cover has been deposited over all waste and sufficient to prevent such attraction. On-site and off-site litter shall not be allowed to accumulate, so as to create such an attraction.

Facility/Permit Number:

36-AA-0049

17. LEA Conditions (continued):

- 22. Alternatives to soil covers, shall be reviewed and approved by the LEA prior to their implementation.
- 23. The operator shall take immediate and independent action to prevent and suppress fires on the project area, and shall require employees to do likewise. The facility shall be maintained with a clearance of flammable material for a minimum distance of one hundred fifty (150) feet from the periphery of any exposed flammable solid waste, or additional minimum flammable clearance provisions determined by the local fire protection agency (pursuant to PRC §4373).
- 24. The operator shall properly equip and maintain noise attenuation and spark arrestor devices (such as mufflers) on all combustion engines utilized at this facility. All equipment components shall be maintained in good mechanical condition and properly operated to prevent excessive noise levels and circumstances capable of starting accidental fires.
- 25. Adequate noise attenuation buffers shall be installed to reduce noise levels to a sixty (60) dBA threshold, if noise levels (as a result of any facility activities) are maintained at any point off-site at a distance of one hundred (100) feet from the facility boundary, or if any noise levels are deemed to exceed the prescribed threshold limits for sensitive noise receptors, pursuant to the San Bernardino County (SBCo) General Plan, SBCo Code, Development Code and Guidelines.
- 26. The operator shall prepare and implement a comprehensive site surface drainage and erosion control plan for the facility. The plan shall prevent significant erosion and siltation impacts both on-site and downstream of the site. The plan shall promote positive sheet-flow run-off from all deck areas and side-slopes to perimeter channels with no significant erosion. The plan shall provide adequate sedimentation basins to prevent downstream siltation/ deposition, shall provide emergency remedial measures for sudden/ great storm events, and shall include an implementation schedule. The plan shall ensure no negative off-site impacts occur. A copy of the plan approved by the County Department of Transportation/ Flood Control (DT/FC) shall be furnished to the LEA within one (1) year of SWFP issuance.
- 27. A qualified landscape architect or botanist shall prepare and implement a revegetation/ landscape plan for the site within one (1) year of SWFP reissuance. The plan shall provide for an effective vegetative cover with native drought-tolerant vegetation on disturbed surfaces in those portions of the site where disposal activities have ceased. An effective vegetation cover shall be fifty (50) percent coverage of the revegetated areas without permanent irrigation after a five (5) year period.
- 28. The operator shall provide final cover over all areas idle for more than one (1) year in accordance with the final grading plan and commence revegetation in accordance with the approved revegetation plan.
- 29. A qualified person shall conduct a field survey prior to excavation of grading of undisturbed portions of the site, to identify areas that may contain potential resources. If no areas are identified, a report of the field survey shall be prepared and submitted to the San Bernardino County Museum Archaeological Information Center for review and approval. A copy of the report shall also be submitted to the County Planning Department Environmental Team, for review and approval. If the field survey indicates areas of potential resource, excavation shall be monitored by a qualified archaeologist. If no specimens are found in the excavation, a report of such shall be prepared and submitted as directed by the MMR(C)P. Where specimens are found, they shall be properly prepared for identification and curation into an established museum repository with an approved report of findings with appended itemized inventory of specimens as directed by the MMR(C)P. The LEA shall be included in all correspondence and transmittal of reports.
- 30. The operator shall obtain/ maintain all necessary easement agreements with plot plans showing the location of all utilities crossing the site. Copies of such agreements/ plot plans shall be provided to the LEA in a timely manner.
- 31. Site entry signs shall prominently display all required regulatory information.